



**D4293-1 FITTING**

**PRELIMINARY ISSUE**

Rev. PA3

CP 10.11.16

**NOTES:**

- 1) MATERIAL: 7075-T73/-T7351/-T73510/-T73511 BAR  
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR AMS-QQ-A-250/12 (AMS 4078)  
REF DART SPEC. M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N "D4293-1" AND B/N PER DART QSI 044 6.1
- 7) WEIGHT: 1.19 lbs

|            |                                |  |              |
|------------|--------------------------------|--|--------------|
| PA3        | ANGLED FACE MOVED 0.050 INWARD | CP   | 10.11.16     |
| A          | NEW ISSUE                      | CP   | 10.11.09     |
| REV.       | DESCRIPTION                    | BY   | DATE         |
| DESIGN     | CP                             | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA   |              |
| DRAWN      | CP                             |  |              |
| CHECKED    | CP                             | DRAWING NO.  | REV. A PA3   |
| MFG. APPR. | CP                             | <b>D4293</b>   | SHEET 1 OF 3 |
| APPROVED   | CP                             | TITLE  | SCALE        |
| DE APPR.   |                                | <b>FITTING (206L AFT)</b>  | NTS          |
| DATE       | 10.11.09                       | COPYRIGHT © 2010 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD. |              |



